

CERAMIC DIMENSIONS SHEET



PO Box 567 * 821 E. P
 Graham, NC 27
 (336) 229-6622 * Fax (336)
 sales@eldonspe
 www.eldonspe

Ceramic Rods / Pins

PLEASE NOTE: Measurements may vary slightly due to ceramic shrinkage during the firing process.

PART #	A (Diameter)		B (Length)						
	IN	MM	IN	MM					
Y-361-AP	0.059	1.5	0.551	14.0					
Y-221-AP	0.059	1.5	0.709	18.0					
Y-154-AP	0.060	1.5	0.790	20.1					
Y-314-TC/MF	0.063	1.6	0.984	25.0					
Y-240-AP-1	0.079	2.0	0.669	17.0					
Y-385-AP	0.079	2.0	0.984	25.0					
Y-240-AP-2	0.095	2.4	0.669	17.0					
Y-274-AR	0.094	2.4	0.709	18.0					
Y-195-AW	0.099	2.5	0.355	9.0					
Y-230-AP/2	0.098	2.5	0.500	12.7					
Y-248-AR	0.098	2.5	0.874	22.2					
Y-194-AP	0.110	2.8	0.796	20.2					
Y-264-AP	0.118	3.0	0.433	11.0					
Y-291-AP	0.118	3.0	0.591	15.0					
Y-264-AW-16	0.118	3.0	0.630	16.0					
Y-354-AP	0.118	3.0	0.787	20.0					
Y-264-AW-25	0.118	3.0	0.986	25.0					
Y-355-AP	0.118	3.0	1.181	30.0					
Y-263-AP	0.118	3.0	1.378	35.0					
Y-312-AP	0.118	3.0	1.575	40.0					
Y-195-AW-1	0.121	3.1	1.125	28.6	limited stock				
Y-195-AW-2	0.121	3.1	1.375	35.0	limited stock				
Y-253-T	0.122	3.1	1.000	25.4	limited stock				
Y-253-AW-2	0.122	3.1	1.125	28.0	limited stock				
Y-276-AW	0.125	3.2	1.500	38.1					
Y-305-AP	0.130	3.3	1.181	30.0					
Y-300-AP	0.158	4.0	1.181	30.0					
Y-341-AP	0.158	4.0	1.575	40.0					
Y-135-AP/1	0.158	4.0	1.811	46.0					
Y-396-AP	0.157	4.0	1.969	50.0					
Y-339-AP	0.157	4.0	2.165	55.0					
Y-400-AP	0.157	4.0	2.362	60.0					
Y-397-AP	0.157	4.0	2.756	70.0					
Y-112-AR	0.158	4.0	2.953	75.0					
Y-284-AR	0.158	4.0	4.724	120.0					
Y-192-AR-1	0.184	4.7	0.75	19.0	limited stock				
Y-192-AB	0.187	4.8	2	51.0	limited stock				

CERAMIC DIMENSIONS SHEET

Y-192-AP	0.187	4.8	2	51.0	limited stock				
Y-192-AW	0.194	4.9	1.508	38.3					
Y-238-AR-4	0.187	4.8	1.187	30.1					
Y-238-AP-3	0.187	4.8	2.563	65.1					
Y-238-T	0.187	4.8	2	50.8					
Y-367-T	0.197	5.0	0.669	17.0					
Y-316-AP/MF	0.197	5.0	1.181	30.0					
Y-384-AP	0.197	5.0	1.181	30.0					
Y-317-T	0.197	5.0	1.378	35.0					
Y-317-TBR	0.197	5.0	1.378	35.0					
Y-246-AP	0.197	5.0	1.772	45.0					
Y-246-T	0.197	5.0	1.772	45.0					
Y-246-TBR	0.197	5.0	1.772	45.0					
Y-246-TC	0.197	5.0	1.772	45.0					
Y-238-AP	0.197	5.0	1.969	50.0					
Y-342-AP	0.197	5.0	1.969	50.0					
Y-260-AR	0.197	5.0	2.165	55.0					
Y-308-AP/MF	0.197	5.0	2.362	60.0					
Y-307-TBR	0.197	5.0	2.756	70.0					
Y-311-AP	0.197	5.0	2.756	70.0					
Y-313-TBR	0.197	5.0	3.150	80.0					
Y-293-AP	0.236	6.0	0.709	18.0					
Y-401-AP	0.236	6.0	1.181	30.0					
Y-255-AP	0.236	6.0	1.299	33.0					
Y-292-AP	0.236	6.0	1.575	40.0					
Y-383-AP	0.236	6.0	1.969	50.0					
Y-247-AR	0.236	6.0	2.362	60.0					
Y-247-TC	0.236	6.0	2.362	60.0					
Y-295-AP	0.236	6.0	2.362	60.0					
Y-379-AW-060	0.236	6.0	2.362	60.0					
Y-250-AP	0.236	6.0	2.756	70.0					
Y-379-AW-075	0.236	6.0	2.953	75.0					
Y-296-AP	0.236	6.0	3.150	80.0					
Y-270-AP	0.236	6.0	3.347	85.0					
Y-304-AR	0.236	6.0	3.940	100.0					
Y-379-AW-100	0.236	6.0	3.937	100.0					
Y-379-AW-500	0.236	6.0	19.685	500.0					
Y-297-AW-2	0.250	6.3	1.500	38.1					
Y-297-AW-1	0.250	6.3	3.500	89.0					
Y-289-AW-1	0.250	6.3	4.500	114.0	Limited stock				
Y-297-AW-3	0.250	6.3	6.625	168.3	Limited stock				
Y-150-AR	0.315	8.0	1.772	45.0					
Y-111-AR	0.315	8.0	2.362	60.0					
Y-111-TBR	0.315	8.0	2.362	60.0					
Y-351-AW	0.315	8.0	3.937	100.0					
Y-294-AR	0.315	8.0	4.724	120.0					
Y-382-AW-500	0.315	8.0	19.685	500.0					
Y-303-AW	0.394	10.0	3.937	100.0					
Y-380-AW-500	0.394	10.0	19.685	500.0					
Y-381-AW-500	0.551	14.0	19.685	500.0					

CERAMIC DIMENSIONS SHEET

